

## 7. Literaturverzeichnis

- ABDEL-HAMEED, F. und N.S. SHOFFNER (1971): Intersex and sex determination in chickens. *Science* 172: 962-964.
- AUER, H., B. MAYR, M. LAMBROU und W. SCHLEGER (1987): An extended chicken karyotype, including the NOR Chromosome. *Cytogenet. Cell Genet.* 45: 218-221.
- BITGOOD, J.J. und R.N. SHOFFNER (1990): Cytology and cytogenetics. In: *Poultry breeding and genetics*, 1<sup>st</sup> ed. (Crawford RD, ed.). Amsterdam, Elsevier Science: 401-427.
- BLAZAK, W.F. und N.S. FECHHEIMER (1979): Gonosome - autosome translocations in fowl: chromosome complements of gametes and viability of embryos derived from single and double heterozygous cockerels. *J. Hered.* 70, 407-412.
- BLAZAK, W.F. und N.S. FECHHEIMER (1981): Gonosome-autosome translocations in fowl: the development of chromosomally unbalanced embryos sired by singly and doubly heterozygous cockerels. *Genet. Re., Comb.* 37: 161-171.
- BLOOM, S.E. (1969): Chromosome abnormalities in early chicken (*Gallus domesticus*) embryos. *Chromosoma (Berl.)* 28, 357-369.
- BLOOM, S.E. (1970a): Haploid chicken embryos; evidence for diploid and triploid cell populations. *J. Hered.* 61: 147-150.
- BLOOM, S.E. (1970b): Trisomy-3,4 and triploidy (3A-ZZZW) in chick embryos: autosomal and sex chromosomal nondisjunction in meiosis. *Science* 170: 457-458.
- BLOOM, S.E. (1972): Chromosome abnormalities in chicken (*Gallus domesticus*) embryos: types, frequencies and phenotypic effects. *Chromosoma (Berl.)* 37: 309-326.
- BLOOM, S.E. (1974): The origins and phenotypic effects of chromosome abnormalities in avian embryos. XV. *Worlds Poultry Congr.* Rivergate New Orleans, Louisiana USA. 316-321.
- BLOOM, S.E. (1981): Detection of normal and aberrant chromosomes in chicken embryos and in tumor cells. *Poultry Sci.* 60: 1355-1361.
- BONAMINO, G.A. und N.S. FECHHEIMER (1993): The gonadal histology of triploid chicken (*Gallus domesticus*) embryos. *Genet. Cel. Evol.* 25: 205-210.
- BREM, G., H. KRÄUBLICH und G. STRANZINGER, (1991): *Experimentelle Genetik in der Tierzucht (Grundlage für Spezielle Verfahren der Biotechnik)*. Eugen Ulmer GmbH & Co. Stuttgart.

- CASSAR, G., T.M. JOHN und R.J. ETCHES (1998): Observations on ploidy of cells and on reproductive performance in parthenogenetic turkeys. *Poultry. Sci.* 77:1457-1462.
- CHRISTENSEN, V.L. (2000): Factors associated with early embryonic mortality. World Poultry Congress 2000, Montreal Canada.
- CHRISTENSEN, V.L. (2001): Factors associated with early embryonic mortality. *World's Poultry Science Journal*, Vol. 57: 359-372.
- DANILOV, R.V. (2000): Effect of hens age on quality of hatching eggs and embryonic development, World Poultry Congress 2000, Montreal Canada.
- DE BOER, L.E.M., T.A.G. De GROEN, M.T. FRANKENHUIS, A.J. ZONNEVELD, J. SALLEVELT und R.H.R. BELTERMAN (1984): Triploidy in chicken (*Gallus domesticus*) embryos, hatchlings and adult intersex chicken. *Genetica* 65: 83-87.
- DINKEL, B.I., N.S. FECHHEIMER und H.A. ABPLANALP, (1978): Cytogenetic analysis of highly inbred lines of chicken. *Poultry Sci.* 57: 548-549.
- DINKEL, B.I., E.A. OLAUGHLIN-PHILLIPS, N.S. FECHHEIMER und R.C. JAAP, (1979): Gametic products transmitted by chickens heterozygous for chromosomal rearrangements. *Cytogenet. Cell Genet.* 23: 124-136.
- DONNER, L., P.U. CHYLE und H. SAINEROVA (1969): Malformations syndrome in chicken (*Gallus domesticus*) associated with triploidy. *J. Heredity* 60: 13-115
- DUBER, M.M., S.I. MONG, N.S. FECHHEIMER und R.G. JAAP, (1973): Chromosome abnormalities in embryos from divergent lines and their crosses. *Poultry Sci.* 52: 2023-2024.
- FASENKO, G.M., R.T. HARDIN, F.E. ROBINSON und J.L. WILSON (1992): Relationship of hen age and egg sequence position with fertility, hatchability, viability, and preincubation embryonic development in broiler breeders. *Poultry Sci.* 71:1374-1383.
- FECHHEIMER, N.S. (1981): Origins of heteroploidy in chicken embryos. *Poultry Sci.* 60: 1365-1371.
- FECHHEIMER, N.S. und R.G. JAAP (1978): The parental source of heteroploidy in chick embryos determined with chromosomally marked gametes. *J. Reprod. Fert.* 52: 141-146.
- FECHHEIMER, N.S., J.R. LODGE und R.C. MILLER, (1970): Sex proportion of domestic chicken at 16 h of incubation. *J. Reprod. Fert.* 23: 365-367.
- FECHHEIMER, N.S. und K.E. NESTOR (1988): Chromosomal abnormalities in Turkey embryos from a control line and a line selected for rapid growth. 8<sup>th</sup> European Colloquium Cytogenetics of Domestic Animals, Bristol, Longford-England (Abstr.).
- FECHHEIMER, N.S., D.L. ZARTMAN, R.G. JAAP (1968): Trisomic and haploid embryos of the chick (*Gall. dom.*). *J. Reprod. Fert.* 17: 215-217.

- GUILLER-GENCIK, Z., A. BERNHEIM und Ph. COULIN (1999): Generation of whole-chromosome painting probes specific to each chicken macrochromosome. *Cytogenet. Cell Genet.* 87: 282-285.
- HAGER, C., D. STEIGER-STAFI und C. MARGUERAT (1986): Embryonic mortality in chickens eggs as influenced by egg weight and inbreeding. *Poultry Sci.* 65: 812-814.
- HAILU, C., K.U. WAGNER, W. SAAR und H. PINGEL (1995): Frequency of chromosome aberrations in association with embryonic mortality of hybrid ducks (*Cairina moschata* x *Anas platyrhynchos*). 10<sup>th</sup> European Symposium on waterfowl . March 26-31, 1995. Halle Germany.
- HAILU, C., H. PINGEL und W. SAAR (1999): Impact of chromosome aberrations on the embryonic mortality of hybrid ducks (*Cairina moschata* x *Anas platyrhynchos*). *Arch. Geflügelk.* 63 (4): 174-181.
- HARADA, K.O. und E.G. BUSH (1981): Cytogenetic studies of embryos developing parthenogenetically in turkeys. *Poultry Sci.* 60: 1362-1364.
- HERZOG, A. (1995): *Klinische Zytogenetik des Haustiere.* JF Lehmanns. Gießen.
- HOCKING, P.M. (1990): The relationship between dietary crude protein, body weight and fertility in naturally mated boiler breeder males. *British Poultry Sci.* 31:743-757.
- HOCKING, P.M. und R. BERNARD (2000): Effect of the age of male and female broiler breeders on sexual behaviour, fertility and hatchability of eggs. *British Poultry Sci.* 41: 370-377.
- JAAP, R.G. und N.S. FECHHEIMER (1974): Normal and abnormal avian chromosomes. XV. Worlds Poultry Congr. Rivergate New Orleans, Louisiana USA, 313-315.
- JASSIM, E.W., M. GROSSMAN, W.J. KOOPS und R.A.J. LUYKX (1996): Multiphasic analysis of embryonic mortality in chickens. *Poultry Sci.* 75: 464-471.
- JASZCZAK, K. (1979): Chromosome mutations and their influence on certain phenotypic traits in embryos and chicken (*Gallus domesticus*), as result of X-irradiation of the cock's semen. *Polska Akademia Nauk, Rozprawy habilitacyjne Jastrzebiec.*
- JASZCZAK, K., G. SADOWSKA und B. PAWLUCZUK (1984): Chromosomal abnormalities in quail selected for a high and low body weight. *Genetica Polonica* 25: 417-425.
- KAEBLING, M. und N.S. FECHHEIMER (1983): Synaptonemal complexes and the chromosomes of domestic fowl, *Gallus domesticus*. *Cytogenet Cell Genet.* 35: 87-92.
- LADJALI-MOHAMMEDI, K., J.J. BITGOOD, M. TIXIER-BOICHARD und F.A. PONCE de LEON (1999): International System for Standardized Avian Karyotypes (ISSAK): standardized banded karyotypes of the domestic fowl (*Gallus domesticus*). *Cytogenet. Cell Genet.* 86: 271-276.

- LEDUR, M.C., R.W. FAIRFULL, I. McMILLAN, R. GOWE und L. ASSELSTINE (2000): Genetic effect of ageing on fertility and hatchability in the first laying cycle of three white leghorn starlins and their two-way crosses. *British Poultry Sci.* 41: 552-561.
- LINNERT, G. (1991): *Lehrbuch der Allgemeinen Cytogenetik*. Verlag Paul Parey. Berlin.
- LIPTOI, K. und A. HIDAS (2000): Abnormalities in goose breeding stocks. World's Poultry Congress 2000, Montreal Canada.
- LODGE, J.R., R.L. AX, und N.S. FECHHEIMER (1974): Chromosome aberrations in embryos from in vivo aged chicken sperm. *Poultry Sci.* 53: 1816-1819.
- LODGE, J.R., N.S. FECHHEIMER und R.C. MILLER (1973): Deletion, monosomy, and multiple monosomy - trisomy mosaicism in chickens embryos. *Poultry Sci.* 52: 397-399.
- MAAROUF, I. (1988): *Zytogenetische Untersuchung von Embryonen merkmaldifferenzierter Wachtellinien zur Analyse von Einflußfaktoren auf Frequenzen und Typen chromosomaler Aberrationen*. Diss. Uni. Leipzig.
- MILLER, R.C., N. S FECHHEIMER und R.G. JAAP (1971); Chromosome abnormalities in 16 to 18 hour chick embryos. *Cytogenetics* 10: 121-136.
- MILLER, R.C., N.S. FECHHEIMER und R.G. JAAP (1976): Distribution of karyotype abnormalities in chick embryo sibships. *Biol. Reprod.* 14: 549-560.
- MONG, S.F., M.D. SNYDER, , N.S. FECHHEIMER und R.G. JAAP (1974): The origin of triploidy in chick (*Gallus domesticus*.) embryos. *Can. J. Genet. Cytol.* 16: 317-322.
- OHNO, S., C. STENIUS, L.C. CHRISTIAN, W. BECAK und M.L. BECAK (1963): Chromosomal uniformity in the avian subclass Carinatae. *Chromosoma (Berl.)* 15: 280-288.
- OLSEN, M.W. (1966): Frequency of parthenogenesis in chicken eggs. *J. Hered.* 57: 23-25.
- PINGEL, H. (1988): *Biologische Grundlagen der Nutzleistungen von Geflügel*. Federführung Heinz Brandsch. Geflügelzucht 4. Auflage: 42-75.
- POLLOCK, D.L. und N.S. FECHHEIMER (1977): An autosomal pericentric inversion in *Gallus domesticus*. III. Colloque de cytogenetique des animaux domestiques. *Ann. Genet. Sel. Anim.* 9: 538.
- REDDY, P.R.K. und P.B. SIEGEL (1977): Chromosomal abnormalities in chickens selected for high and low body weight. *J. Hered.* 68: 253-256.
- PONCE DE LEON, F.A., Y. LI und Z. WENG (1992): Early and late replicative chromosomal banding pattern of *Gallus domesticus*. *J. Hered.* 83: 36-42.
- POOLE, H.K. (1959): The mitotic chromosomes of parthenogenetic and normal Turkey. *J. Hered.* 50: 151-154.

- POPESCU, C.D. und P. MERAT (1977): Anomalies chromosomiques chez les embryons de poulet issus de sperme âgé. *Ann. Genet. sel. Anim.* 9: 147-150.
- PREISINGER R. und T. SAVAS (2000): Auswirkungen der Inzucht auf Leistungsmerkmale und deren genetische Parameter bei Legehennen. *Genetischer-Statistischer Ausschluß BLT Grub* 27-29. 03. 2000.
- REINHART, B.S. und G.I. HURNIK (1984): Traits affecting the hatching performance of commercial chicken broiler eggs. *Poultry Sci.* 63:240-245.
- ROSE, S.P. (1999): The physiology of egg production. *Lohmann Poultry News* 3: 1-3.
- RUIZ, J. und C.A. LUNAM (2000): Ultrastructural analysis of eggshell: contribution of the individual calcified layer and the cuticle to hatchability and egg viability in boiler breeders. *British Poultry Sci.* 41: 584-592.
- RYAN, W.C. und P.E. BERNIER (1968): Cytological evidence for a spontaneous chromosome translocation in the domestic fowl. *Experientia* 24: 623-624.
- RYTTMAN, H. und H. TEGELSTRÖM (1981): G-banded karyotypes of three Galliformes species: domestic fowl (*Gallus domesticus*), quail (*Coturnix coturnix japonica*) and Turkey (*Melegrris gallopago*). *Hereditas* 94: 165-170.
- SARVELLA, P. (1970): Sporadic occurrence of parthenogenesis in poultry. *J. Hered.* 61: 215-219.
- SARVELLA, P. (1973): Adult parthenogenetic chickens. *Nature* 243: 171.
- SAS INSTITUT INC. (1990): User' guide. Version 6.12. Cary. NC. USA.
- SAVAGE, T.F. und J.A. HARPER (1985): Ring lethal: an early embryonic failure in medium white turkeys. *J. Hered.* 76:474-476.
- SAVAGE, T.F., M.P. DeFRANK und S.E. BREAN (1988): Blood ring: embryonic lethal condition in chickens. *J. Hered.* 79(2): 124-128.
- SCHMID, M., E. ENDERLE, D. SCHLINDLER und W. SCHEMPP (1989): Chromosome banding and DNA replication pattern in bird karyotypes. *Cytogenet Cell Genet.* 45: 218-221.
- SCHMIDT, S.K. (1992): Untersuchungen zu Typen und Frequenzen numerischer Chromosomenaberrationen und deren Einfluß auf die Entwicklung von Gänseembryonen. *Diss. Uni. Leipzig.*
- SCHNEIDER, K.H. (1988): Bruteierbehandlung und Bruteierlagerung. *Federführung Heinz Brandsch. Geflügelzucht* 4. Auflage: 174-175.
- SEWALEM, A. und M. WILHELMSON (1999): Genetic study of embryonic mortality in white leghorn lines selected for egg production traits. *British Poultry Sci.* 40: 467-471.

- SHOFFNER, R.N. (1972): Mutagenic effects of triethylene melamine/ TEM/ and ethyl methan sulfonate/ EMS/ in the chicken. Poultry Sci. 51: 1865.
- SHOFFNER, R.N. (1974): New cytogenetic methods of promise in avian species. XV. Worlds Poultry Congr. Rivergate New Orleans, Louisiana USA, 323-327.
- SMITH, J. und D.W BURT (1998): Parameter of the chicken genome (*Gallus gallus*). Animal Genetic 29: 290-294.
- SNYDER, M.D., N.S. FECHHEIMER und R.G. JAAP (1975): Incidence and origin of heteroploidy, especially haploidy, in chick embryos from intraline and interline matings. Cytogenet. Cell Genet. 14: 63-75.
- STOCK, A.D. und T.D. BUNCH (1982): The evolutionary implications of chromosome banding pattern homologies in the bird order Galliformes. Cytogenet. Cell Genet. 34: 136-148.
- STOCK, A.D., F.E. ARRIGHI, K. STEFOS (1974): Chromosome homology in birds, banding pattern of the chromosomes of the domestic chicken, ringnecked dove, and domestic pigeon. Cytogenet. Cell Genet. 13: 410-418.
- SZALAY, I. und A. HIDAS (1989): Cytogenetic studies in meat type poultry, new data on the relationship between abortive development and chromosome abnormalities in early chicken (*Gallus domesticus*) embryos. 32.inter. Geflügelvortragstagung, Dezember 1989/Leipzig.
- SZALAY, I., A. HIDAS und E. VAS (1989): Frequency of chromosomally abnormal embryos in breeding stocks of broiler duck. International symposium on current problems of avian genetics. 234-238.
- TELLONI, R.V., R.G. JAAP und N.S. FECHHEIMER (1977): Fertility, embryo viability, and hatchability of chickens having 23% of the Z translocated to a micro-chromosome. Poultry Sci. 56: 193-201.
- THORNE. M.H., R.K. COLLINS und B.L. SHELDON (1987): Live haploid-diploid and other unusual mosaic chickens (*Gall. dom.*). Cytogenet. Cell Genet. 45: 21-25.
- THORNE, M.H. und B.L. SHELDON (1991): Cytological evidence of maternal meiotic errors in a line of chickens with a high incidence of triploidy. Cytogenet. Cell Genet. 57:206-210.
- THORNE, M.H., R.K. COLLINS und B.L. SHELDON (1991a): Chromosome analysis of early embryonic mortality in layer and broiler chickens. British Poultry Sci. 32: 705-717.
- THORNE, M.H., R.K. COLLINS und B.L. SHELDON (1991b): Triploidy and other chromosomal abnormalities in a selected line of chickens. Genet Sel Evol. 23 (supp. I):212-216.

- THORNE, M.H., F.W. NICHOLAS, C. MORAN und B.L. SHELDON (1997): Genetic analysis of triploidy in a selected line of chickens. *J.Hered.* 88: 495-498.
- TRAORE, D. (1999): Zum Auftreten chromosomaler Aberrationen und deren mögliche familiäre Häufung in Zusammenhang mit der Selektionsrichtung, Modelluntersuchungen an 2 Tage alten Embryonen der Japanischen Wachtel (*Coturnix coturnix japonica*). Diss. Uni. Halle.
- TULLET, S.G. und D.C. DEEMING (1987): Failure to turn eggs during incubation: effect on embryo weight, development of the chorioallantois and absorption of albumen. *British Poultry Sci.* 28: 239-249.
- VAGT, A. (1987): Untersuchungen zum Einfluß ausgewählter präinkubatorischer Faktoren auf die Schlupffähigkeit von Entenbruteiern (*Anas platyrhynchos f. dom*). Diss., Univ. Leipzig.
- VAGT, A. und SAAR, W. (1986): Untersuchungen zu Chromosomenaberrationen beim Wassergeflügel. - 4. Leipziger Tierzuchtsymposium, Leipzig, Dez. 1986, S. 46-55
- VAGT, A., W. SAAR, H. PINGEL und K.H. SCHNEIDER (1988): Vergleich zur Häufigkeit chromosomaler Aberrationen während der fruhembryonalen Entwicklung bei Pekingenten (*Anas platyrhynchos f. dom*) einer leichten und schweren Linie. - *Wiss. Z., K.-M.-Univ. Leipzig, Math.-Naturwiss. R.* 32: 276-281
- VAGT, A., W. SAAR, H. PINGEL und K.H. SCHNEIDER (1989): Untersuchungen zum Auftreten chromosomaler Aberrationen während der fruhembryonalen Entwicklung bei Pekingenten (*Anas platyrhynchos f. dom.*) verschiedener genetischer Konstruktion. *Arch. Tierz, Berlin* 32: 503-512.
- YAO, T.S. und M.W. OLSEN (1955): Microscopic observations of parthenogenetic embryonic tissues. *J. Hered.* 46: 133-134.
- WAGNER, R.P., M.P. MAGUERI und R.L. STALLINGS, (1993): *Chromosomes: a synthesis.* Wiley-Liss Inc. NY.
- WANG, N. und R.N. SHOFFNER, (1972): Induced heteroploidy in *Gallus domesticus*. *Genetics* 71: 66.
- WOLOWODIUK, D.V., N.S. FECHHEIMER, K.E. NESTOR und W.L. BACON (1985): Chromosome abnormalities in embryos from lines of Japanese quail divergently selected for body weight. *Genet. Sel. Evol.* 17 (2): 183-190.
- WOOSTER, W.E., N.S. FECHHEIMER und R.G. JAAP (1977): Structural rearrangements of chromosomes in the domestic chicken, experimental production by X-irradiation of spermatozoa. *Canad. J. Genet. Cytol.* 19: 437-446.
- WOOSTER, W.E., R.L. HILTY, N.S. FECHHEIMER und R.G. JAAP (1973): Production, recovery and fertility of chickens with structural aberrations of chromosomes. *Poultry Sci.* 52: 2104.

ZARTMAN, D.L. (1973): Location of the pea comb gene. Poultry Sci. 52: 1455-1462.

ZARTMAN, D.L. und A.L. SMITH (1975): Triploidy and haploid-triploid mosaicism among chick embryos (*Gallus domesticus*). Cytogenet. Cell Genet. 15: 138-145.